



Page 1/13

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- · 1.1 Product identifier
- · Trade name: Bromine Granules
- · Registration number Mixture
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Product category PC37 Water treatment chemicals
- · Application of the substance / the mixture Water treatment
- · Uses advised against

Processes involving extreme heat use advised against.

Processes involving the use of incompatible substances - refer to section 10.

Any use involving aerosol formation or vapour release in excess of the assigned WEL where workers are exposed without suitable RPE.

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Complete Pool Controls Ltd

Unit 2, The Park

Stoke Orchard

Bishops Cleeve

Gloucestershire

**GL52 7RS** 

UK

Tel: +44 (0)1242 662700 (office hours)

email: sales@cpc-chemicals.co.uk

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



flame over circle

Ox. Sol. 2 H272 May intensify fire; oxidiser.



health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.



(Contd. on page 2)



Page 2/13

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

**Trade name: Bromine Granules** 

(Contd. of page 1)

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Tox. 4 H302 Harmful if swallowed. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

- · Hazard pictograms GHS03, GHS07, GHS08, GHS09
- · Signal word Danger
- · Hazard-determining components of labelling:

troclosene sodium

Sodium bromide

Hazard statements

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

H361 Suspected of damaging fertility or the unborn child.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P220 Keep away from clothing and other combustible materials.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Additional information:

EUH031 Contact with acids liberates toxic gas.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Chemical characterisation: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Page 3/13

## **Safety data sheet** according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

**Trade name: Bromine Granules** 

	(0	ontd. of page 2)
· Dangerous components:		
CAS: 2893-78-9 EINECS: 220-767-7 Reg.nr.: 01-2119489371-33-XXXX	troclosene sodium  Ox. Sol. 2, H272; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Eye Irrit. 2, H319; STOT SE 3, H335  Note: G  Specific concentration limit: STOT SE 3; H335: C≥10 %  EUH031: C≥10 %	50 – 100%
CAS: 7647-15-6 EINECS: 231-599-9 Reg.nr.: 01-2119490106-41-XXXX	Sodium bromide  Repr. 2, H361; STOT RE 2, H373; STOT SE 3, H336	3 - < 10%

#### · Additional information:

Does not contain respirable particles of <10µm diameter.

For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

In case of inhalation:

- Provide fresh air.
- In case of breathing difficulties administer oxygen.
- No mouth-to-mouth or mouth-to-nose resuscitation. Use respiratory bag or oxygen resuscitation apparatus.
- Do not leave patient unattended.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- · Information for doctor: Treat symptomatically and supportively.
- $\cdot$  4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB



Page 4/13

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

**Trade name: Bromine Granules** 

(Contd. of page 3)

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Water spray

Alcohol resistant foam

Carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents:

Do not use ABC extinguishers containing nitrogen, due to risk of violent chemical reaction.

Water with full jet

· 5.2 Special hazards arising from the substance or mixture

Strong oxidiser. Contact with combustible or flammable substances may cause fire.

In case of fire, the following can be released:

Chlorine gas

Chlorine compounds

Bromine compounds

- · 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Ensure adequate ventilation

Mount respiratory protective device.

· 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

Inform respective authorities in case of seepage into water course or sewage system.

#### · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Do not use combustible materials such as paper towels to clean up spills.

Every attempt should be made to avoid mixing spilled material with other chemicals or debris when cleaning up.

DO NOT transport wet or damp material. Damp material should be neutralized to a safe state.

Ensure adequate ventilation.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 5)



Page 5/13

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

**Trade name: Bromine Granules** 

(Contd. of page 4)

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Rinse contaminated clothing with plenty of water (Fire hazard)

Never add water to the product. Always add product to large quantities of water.

Do not add the product to any dispensing device containing residuals of other products.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Do not mix with acids.

#### · Information about fire - and explosion protection:

Potentially explosive when mixed with organic substances.

Can decompose explosively when heated.

Keep respiratory protective device available.

#### · 7.2 Conditions for safe storage, including any incompatibilities

·Storage

#### · Requirements to be met by storerooms and receptacles:

Do not store on combustible materials such as wooden floors or wooden pallets.

#### · Information about storage in one common storage facility:

Store away from reducing agents.

Store away from oxidising agents.

Store away from foodstuffs.

Store away from water.

Do not store together with acids.

#### · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

- · Storage class: 5.1 B
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Oral DNEL Long-term systemic effects DNEL Long-term systemic effects DNEL Long-term systemic effects DNEL Long-term systemic effects 1.15 mg/kg bw/day (general population)  1.15 mg/kg bw/day (general population)	· DNELs		
	2893-78-9	troclosene sodium	
Dermal DNELL ong term systemic effects 1.15 mg/kg by/day (general population)	Oral	DNEL Long-term systemic effects	1.15 mg/kg bw/day (general population)
Definal Diver Long-term systemic effects 1.13 mg/kg ow/day (general population)	Dermal	DNEL Long-term systemic effects	1.15 mg/kg bw/day (general population)

(Contd. on page 6)



Page 6/13

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

**Trade name: Bromine Granules** 

		(Contd. of pag
		2.3 mg/kg bw/day (worker)
Inhalative	DNEL Long-term systemic effec	ts 1.99 mg/m³ (general population)
		8.11 mg/m³ (worker)
7647-15-6	Sodium bromide	
Oral	DNEL Long-term systemic effec	ts 500 μg/kg bw/day (general population)
Dermal	DNEL Long-term systemic effec	ts 25 mg/kg bw/day (general population)
		70 mg/kg bw/day (worker)
Inhalative	DNEL Long-term systemic effec	ts 870 μg/m³ (general population)
		4,930 μg/m³ (worker)
PNECs		
2893-78-9	troclosene sodium	
PNEC Fre	shwater	170 ng/L
PNEC Freshwater - Intermittent releases		1.7 μg/L
PNEC Ma	rine water	1.52 mg/L
PNEC Sewage Treatment Plant		590 μg/L
PNEC Sediment (freshwater)		7.56 mg/kg
PNEC Soil		756 μg/kg
7647-15-6	Sodium bromide	
PNEC Freshwater		56 μg/L
PNEC Freshwater - Intermittent releases		4.4 mg/L
PNEC Marine water		5.6 μg/L
PNEC Marine Water - Intermittent releases		440 μg/L
PNEC Sewage Treatment Plant		100 mg/L
_		10 mg/kg
		33.33 mg/kg food

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat or drink while working.

Take note of assigned Workplace Exposure Limits.

Contaminated clothes are a fire hazard. Rinse with plenty of water.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

• Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

(Contd. on page 7)



Page 7/13

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

**Trade name: Bromine Granules** 

(Contd. of page 6)

#### · Protection of hands:



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses with side-shields conforming to EN166.

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

· Body protection:



Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

#### **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid

**Colour:** According to product specification

Odour: CharacteristicOdour threshold: Not determined.

• pH-value at 20 °C: 6 (1%)

· Change in condition

**Melting point/freezing point:** Decomposes upon heating.

Initial boiling point and boiling range: Undetermined.

· Flash point: Not applicable.

· Flammability (solid, gas): Not determined.

(Contd. on page 8)



Page 8/13

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

**Trade name: Bromine Granules** 

	(Contd. of page
· Auto-ignition temperature:	225 °C
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density at 20 °C:	2 g/cm <sup>3</sup>
· Bulk density:	0.8 kg/m³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Soluble.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
• 9.2 Other information	NOTE: The physical data presented above are typical values are should not be construed as a specification.

### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

Decomposes on heating and on contact with water, producing toxic fumes including chlorine and bromine.

· 10.3 Possibility of hazardous reactions

Reacts violently with combustible and reducing materials, causing fire and explosion hazard.

Reacts with acids releasing chlorine.

 $\cdot$  10.4 Conditions to avoid

Heat and static discharge.

Do not mix with other chemical formulations in their concentrated form.

· 10.5 Incompatible materials:

Strong acids and oxidising agents

Combustible materials.

Organic solvents.

Reducing agents

· 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

(Contd. on page 9)



Page 9/13

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

**Trade name: Bromine Granules** 

(Contd. of page 8)

Chlorine Chlorine compounds Bromine compounds Hydrogen chloride (HCl)

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:				
ATE (Acute Toxicity Estimates)				
Oral	LD50	1,538.5 mg/kg (rat)		
2893-78	2893-78-9 troclosene sodium			
Oral	LD50	1,400 mg/kg (rat)		
7647-15-6 Sodium bromide				
Oral	LD50	> 2,000 mg/kg (rat)		
Dermal	LD50	> 2,000 mg/kg (rat)		

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- $\cdot \textbf{Respiratory or skin sensitisation} \ Based \ on \ available \ data, \ the \ classification \ criteria \ are \ not \ met.$
- · Subacute to chronic toxicity: Prolonged or repeated skin contact may irritate and cause dermatitis.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity

Suspected of damaging fertility or the unborn child.

- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity:

7647-15-6 Sodium bromide

EC50 (96 h) > 1,000 mg/l (Bacteria)

- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 10)



Page 10/13

### Safety data sheet according to 1907/2006/EC, Article 31 as amended

Version number 3 Revision: 02.11.2023 Printing date 15.11.2023

**Trade name: Bromine Granules** 

(Contd. of page 9)

- · Ecotoxical effects:
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- · Uncleaned packaging:
- · Recommendation:

Container remains hazardous when empty. Continue to observe all precautions.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR/RID/ADN, IMDG, IATA UN2465		
· 14.2 UN proper shipping name		
· ADR/RID/ADN	UN2465 DICHLOROISOCYANURIC ACID SALT	
	mixture, ENVIRONMENTALLY HAZARDOUS	
· IMDG	DICHLOROISOCYANURIC ACID SALTS mixtur	
	MARINE POLLUTANT	

(Contd. on page 11)



Page 11/13

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

**Trade name: Bromine Granules** 

	(Contd. of page
· IATA	DICHLOROISOCYANURIC ACID SALTS mixture
· 14.3 Transport hazard class(es)	
· ADR/RID/ADN, IMDG	
· Class	5.1 Oxidising substances.
· Label	5.1
· IATA	
· Class	5.1 Oxidising substances.
· Label	5.1
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	II
· 14.5 Environmental hazards:	Product contains environmentally hazardous substance troclosene sodium
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR/RID/ADN):	Symbol (fish and tree)
• 14.6 Special precautions for user	Warning: Oxidising substances.
<ul> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> </ul>	50 F A S O
· Stowage Category	F-A,S-Q A
· Handling Code	H1 Keep as dry as reasonably practicable
· 14.7 Transport in bulk according to Annex II of	
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR/RID/ADN	11.
· Limited quantities (LQ)	1 kg Code: E2
· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per inner packaging: 50 g  Maximum net quantity per outer packaging: 500 g
· Transport category	2
· Tunnel restriction code	Е
· IMDG · Limited quantities (LQ)	1 kg



Page 12/13

## Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

**Trade name: Bromine Granules** 

(Contd. of page 11)

	(Conta. of page 11)
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 2465 DICHLOROISOCYANURIC ACID SALTS MIXTURE, 5.1, II, ENVIRONMENTALLY HAZARDOUS

#### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

P8

E1

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements  $200\ t$
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Training hints

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

- · Department issuing SDS: Product safety department.
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 13)



(Contd. of page 12)

Page 13/13

### Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 15.11.2023 Version number 3 Revision: 02.11.2023

**Trade name: Bromine Granules** 

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Ox. Sol. 2: Oxidizing solids – Category 2

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

\* Data compared to the previous version altered.

