



# Ultimate (Multifunctional) Chlorine Granules

Ident	ification of the s	ubstance/pro	eparation and	of the comp	any/under	taking		
1.1	Product Identifie	er	Multifuntiona	l Chlorine G	ranules			
1.2	Relevant Identified uses and restriction of the substance or mixture   Uses: For disinfection of pool and spa water.							
1.3			ol Controls Ltd ark d ve					
	Telephone: E-mail:	+44 (0) 3712 sales@cpc-ch	229084 nemicals.co.uk		Fax:	+44 (0) 8712 2	29083	
1.4	Emergency Tele	phone						
		+44 (0) 8712	229081	(office hour	s)	+44 (0) 3712 22	29084	(outside of office hours)
lloro	nd Idoutification							
	rd Identification Classification of		• .					
	Classification ac Hazard Class Acute Tox. 4 * Eye Irrit. 2 STOT SE 3 Aquatic Acute 1 For the full text of	-	Hazard Stater H302 H319 H335 H410	nents		ection 16.		
	Most important Human Health: Physical & Chem Potential enviror	ical Hazards:		See section	9 for physic	ilogical informat cochemical inform	mation	
2.2	Label elements Labelling accord							
	Hazard symbols:							
	Signal word:		Danger					
	Hazard statemer		H319 H410: H335+H336: M EUH031 EUH206	May cause re Contact wit Warning! D (chlorine).	bus eye irrit o aquatic lif espiratory in h acids libe o not use to	e with long lastin ritation. May car rates toxic gas. ogether with oth	use drows er produc	siness or dizziness ts. May release dangerous gases
		Use biocides	sately. Always	read the lab	el and proc	luct information	before us	se.
	Precautionary st			contact lens	ry place. Rinse cautic ses, if prese	usly with water nt and easy to de	o. Continu	Il minutes. Remove Je rinsing h national regulations.
	Hazardous comp	oonents whic		ed on the la	bel	and Copper Sulp		-
2.3	Other Hazards		No other info	rmation is av	vailable.			

# 3. Composition/information on ingredients

# 3.2 Mixture

sodium dichloroisocyanurate, dihydrate

EINECS	CAS	PBT / WEL	CLP Classification	Percent	
220-767-7	51580-86-0	-	Met. Corr. 1: H290; Skin Sens. 1A:H317; Eye Dam. 1: H318; Aquatic Chronic 2: H411	90%	
aluminium su 233-135-0	lphate 10043-01-3	_	Eve Dam. 1: H318	4.50%	
	ate pentahydrat	e		4.50%	
616-477-9	7758-99-8	-	Acute Tox 4. H302; Eye Irrit. H319; Skin Irrit. 2: H315; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	<u>&lt;</u> 1.5%	

Contains: Mixture of listed substances with non hazardous additions.

General Advice:	easures Take off all contaminated clothing immediately.
	, , , , , , , , , , , , , , , , , , ,
If inhaled: :	Move to fresh air. Remove contaminated clothing and loosen remaining clothing. Seek imm medical advice.
	In case of unconsciousness place patient stably in side position for transportation
	Drench the skin with plenty of water. Remove contaminated clothing and wash before reu
In case of skin contact:	large areas of the skin is damaged or if irritation persists seek medical attention
In case of eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15
	minutes. Consult an eye specialist immediately. Go to an ophthalmic
	hospital if necessary.
If swallowed:	Clean mouth with water and drink afterwards plenty of water. Never give anything
	by mouth to an unconscious person. Do NOT induce vomiting. Call a
	physician immediately.

**4.3 Indication of immediate medical attention and special treatment needed** Treatment Treat Symptomatically.

5. Fire fighting measures					
5.1 Extinguishing media:					
Suitable media:	Use fire extinguishing methods suitable to surrou	nding conditions.			
Unsuitable media: Foam or water					
5.2 Special hazards arising from the substance or mixture					
Specific Hazards :	In case of fire, the following can be released:	Nitrogen oxides (NOx)			
		Hydrogen chloride (HCl)			
5.3 Advice for fire-fighters					
	Fire-fighters should wear full protective clothing	and self-contained breathing apparatus (SCBA).			
Protective equipment	Thoroughly decontaminate fire-fighting equipme the incident.	nt including all fire fighting wearing apparel after			
Further Information:	Collect contaminated fire extinguishing water sep	parately.			

6. Accidental release Measures						
	Use personal protectiv	nt and emergency procedures I protective equipment. Provide adequate ventilation. protection see section 8.				
	Avoid subsoil penetra If the product contam	into surface water or sanitary sewer system. penetration t contaminates rivers and lakes or drains inform respective authorities ties should be advised if significant spillages cannot be contained				
6.3 Methods and materials for co	ontainment and cleani	ing up				
Cleaning up		anically. Dispose of contaminated material as waste according to item 13. Ensure				
<b>6.4 Reference to other sections</b> For personal protection see se	ection 8					
7. Handling and storage						
7.1 Precautions for safe handling	 {					
Advice on safe handling:	DO NOT	DO NOT MIX WITH OTHER CHEMICALS. Mix only with water. Never add water to product. Always add product to water. Use clean dry dispensing equipment.				
Hygiene measures:	should b end of t	Keep away from food, drink and animal feeding stuffs. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and at the end of the work day. Take off all contaminated clothing immediately. Provide adequate ventilation. Avoid contact with the skin and eyes.				
7.2 Conditions for safe storage, in	ncluding any incompat	tibilities.				
Requirements for storage area containers:	as and Keep th	Keep this product in original, sealed container when not in use. Store in a cool, dry, well-ventilated area.				
Advice on protection against f	fire: Normal	Normal measures for preventive fire protection				
Further information on storag	;e Keep aw	Keep away from children. Prevent seepage into the ground				
Advice on common storage:	Do not s	Do not store together with acids				
7.3 Specific end uses Specific use(s)	No info	rmation is available.				
8. Exposure control/personal protect	ion					
or Exposure controly personal protect						
8.1 Control parameters		Short Term	Long Term			
Sodium dichloroisocyanurate,	, dihydrate	0.07mg/m <sup>3</sup>	0.02mg/m <sup>3</sup>			
8.2 Exposure controls Engineering measures	Fume cupboard requ	ired when vapours/aeros	sol are generated.			

neasures Fume cupboard required when vapours/aerosol are generated Refer to protective measures listed in sections 7 and 8.

# Personal protective equipment

Respiratory protection In case of brief exposure or low pollution use respiratory filter device Filter AB2P2. Filter AB2P3. In case of intensive or longer exposure use self- contained respiratory protective device

8. Exposure control/personal protection

Hand protection	Wear protective gloves. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and standard EN 374.
Eye protection	Wear safety glasses approved to standard EN 166.
Skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact
Environmental exposure co	<b>ntrols</b> Dispose of in accordance with all applicable local and national regulations.

emergency shower facilities recommended. Remove and wash contaminated clothing before reuse.

# 9. Physical and chemical properties

Form:	Granular
Colour:	Whitish
Odour:	Characteristic chlorine
рН @ 20°С:	7.0 - 10% (aqueous solution)
Melting Point	Undetermined
Boiling point/boiling range:	Undetermined
Self Igniting:	>200°C
Relative vapour density:	No information available
Density @ 20°C:	Undetermined
Water solubility:	Partly soluble
Explosive properties:	Product does not present an explosion hazard
Oxidising properties:	Product is not an oxidiser

# 10. Stability and reactivity

1	LO.1 Reactivity	
	Reactivity	No decomposition if used according to specifications
1	10.2 Chemical stability	
	Chemical stability	Currently we do not have any information from our supplier about this.
	LO.3 Possibility of hazardous rea	ctions
-	Hazardous reactions:	Reacts with acids releasing chlorine. Reacts with Oxidisers
-	LO.4 Conditions to avoid	
	Conditions to avoid	High temperature. Poor ventilation. Contamination. Moisture/high humidity.
1	10.5 Incompatible materials	
	Materials to avoid	Reacts with acids releasing chlorine.
	10.6 Hazardous decomposition	products
-		
	Haz. Decomp. products:	Chlorine

Trade Name:

## **11. Toxilogical Information**

11.1	.1 Information on toxilogical effects LD/LC50 values relevant for classification: Acute Toxicity					
	51580-86-0	sodium dichl	te, dihydrate			
	Value type	Value	Species			
	LD50 Oral	1400 mg/kg	Rat			
	7758-99-8	copper sulphate pentahya		ate		
	LD50 Oral	300 mg/kg	Rat			

#### **Primary Irritant effect**

On the skin: Powder may irritate skin after prolonged contact. On the eye: Particles in the eyes may cause irritation and smarting

**Carcinogenic** This product is not listed as a carcinogen **Mutagenic** Currently we do not have any information from our supplier about this.

Sensitization: No sensitizing effects known

Additional toxicological information:

No specific symptoms noted.

# 12. Ecological Information

## 12.1 Acute Toxicity

Toxicity This product is toxic to fish and other organisms

# **12.2 Persistence and degradability** Persistence and degradability No information available

# **12.3 Bioaccumlative potential**<br/>Bioaccumlative potentialNo information available

## **12.4 Mobility in soil** Mobility in soil

soluble in water, predicted to have high mobility in soil.

**12.5 Results of PBT and PvB assessment** PBT and PvB assessment No data available

### 12.6 Other adverse effects

Remarks:Water hazard class 2 (German Regulation) (self-assessment): hazardous for water:<br/>Do not allow product to reach ground water, water course or sewage system.<br/>Danger to drinking water if even small amounts leak into the ground.<br/>Also poisonous for fish and plankton in water bodies. Very toxic for aquatic organisms.

### **13.** Disposal Considerations

13.1	Waste treatment methods	
	Product:	Disposal together with normal waste is not allowed. Special disposal is required according to local regulations. Do not let product enter drains. Contact waste disposal services.
	Contaminated packaging:	Empty contaminated packaging thoroughly. They can be re-cycled after thorough and proper cleaning. Packaging that cannot be cleaned is to be disposed of in the same manner as the product
	Waste Catalogue No:	No waste code according to the European Waste Catalogue can be assigned for this product, as the intended use dictates the assignment. The waste code is established in consultation with the regional waste disposer.

.1 UN Number		307	7				
1.2 UN proper s	hipping name			ALLY HAZARDO SOCYANURATE			.O.S.
4.3 Transport h	azard class(es)					< <	
	Class	9				>	
	Classification Code	M7		9	$\sim$		
	Hazard label	90					
	Transport Category	3					
	LQ	5kg					
4.4 Packaging G	roup	111					
4.5 Environmen	tal hazards						
	Environmentally Hazard	lous	Yes				
	Marine Pollutant		Yes				
4.6 Special prec	autions for user	Not applic	cable				

# 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for this substance or mixture.

## 15.2 Chemical Safety Assessment

No data available

## **16. Other information**

Full text of H-	statements referred to under sections 2 and 3
H302	Harmful if swallowed.
H319	Causes serious eye irritation
H400:	Very toxic to aquatic life
H410:	Very toxic to aquatic life with long lasting effects
H335+H336	: May cause respiratory irritation. May cause drowsiness or dizziness
EUH031	Contact with acids liberates toxic gas.
EUH206	Warning! Do not use together with other products. May release dangerous gases (chlorine).

#### Further information

Restricted to professional users. Attention - Avoid exposure- obtain special instructions before use This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty or merchantability, or fitness for any particular use, or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this information Users should make their own investigations to determine the suitability of the information for their particular needs and uses.

Indicates updated section

