



Page 1/9

# Safety data sheet

according to 1907/2006/EC, Article 31 as amended

Printing date 28.06.2023

Version number 3

Revision: 28.06.2023

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking** · 1.1 Product identifier · Trade name: Flocpac Super · Article number: MPAC100 · Registration number Mixture · 1.2 Relevant identified uses of the substance or mixture and uses advised against · Product category PC37 Water treatment chemicals · Application of the substance / the mixture Flocculant/ Flocculating agent · Uses advised against Processes involving extreme heat use advised against. Processes involving the use of incompatible substances - refer to section 10. The product is intended exclusively for industrial and professional use. · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Complete Pool Controls Ltd Unit 2, The Park Stoke Orchard **Bishops** Cleeve Gloucestershire **GL52 7RS** UK Tel: +44 (0) 8712 229081 (office hours) email: sales@cpc-chemicals.co.uk · Further information obtainable from: Product safety department. · 1.4 Emergency telephone number: Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008

corrosion

Met. Corr.1 H290 May be corrosive to metals.



Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

## · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms GHS05

(Contd. on page 2)

GB



Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 28.06.2023

Version number 3

Revision: 28.06.2023

#### Trade name: Flocpac Super

	(Contd. of page 1)
· Signal word W	Varning
· Hazard staten	nents
H290 May be c	corrosive to metals.
H319 Causes s	erious eye irritation.
· Precautionary	y statements
P234	Keep only in original packaging.
P264	Wash thoroughly after handling.
P280	Wear eye protection / face protection.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P406	Store in a corrosion resistant container / container with a resistant inner liner.
· 2.3 Other haza	ards
· Results of PB7	Γ and vPvB assessment
• <b>PBT:</b> Not appl	icable.
• <b>vPvB:</b> Not app	licable.

### **SECTION 3: Composition/information on ingredients**

### · 3.2 Chemical characterisation: Mixtures

· Description: Aqueous solution.

#### · Dangerous components:

CAS: 39290-78-3 Aluminum chloride hydroxide sulfate

EINECS: 254-400-7 🐼 Met. Corr.1, H290; 🗘 Eye Irrit. 2, H319

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

- · After eye contact:
- Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing:
- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; call for medical help immediately.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

- $\cdot$  Information for doctor: Treat symptomatically and supportively.
- $\cdot$  4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.

(Contd. on page 3)

>10-≤25%



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 28.06.2023

Version number 3

Revision: 28.06.2023

(Contd. of page 2)

Trade name: Flocpac Super

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

• Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

Wear self-contained respiratory protective device.

Wear fully protective suit.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures
Ensure adequate ventilation
Particular danger of slipping on leaked/spilled product.
Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:
Do not allow to penetrate the ground/soil.
Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Lime slurry can be used to neutralize material (e.g. 10 - 50% potassium carbonate solution or 10 - 30% sodium carbonate solution).

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

 $\cdot$  Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)

GB -



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 28.06.2023

Version number 3

Revision: 28.06.2023

#### **Trade name: Flocpac Super**

(Contd. of page 3)

- 7.2 Conditions for safe storage, including any incompatibilities • Storage:
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground. Do not store in aluminium or galvanised containers.
- **Information about storage in one common storage facility:** Store away from foodstuffs. Store away from oxidising agents. Store away from reducing agents.
- Further information about storage conditions: Keep container tightly sealed.
  Protect from frost.
  Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- Do not eat or drink while working.
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.
- · Protection of hands:



### Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves** 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

PVC gloves



Page 5/9

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 28.06.2023

Version number 3

Revision: 28.06.2023

(Contd. of page 4)

### **Trade name: Flocpac Super**

#### Neoprene gloves

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses with side-shields conforming to EN166. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Goggles recommended during refilling • Body protection:



Impervious protective clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

SECTION 9: Physical and chemical properties				
9.1 Information on basic physical and o	chemical properties			
General Information				
Appearance:				
Form:	Fluid			
Colour:	According to product specification			
Odour:	Characteristic			
Odour threshold:	Not determined.			
pH-value at 20 °C:	1.5-2.5			
Change in condition				
Melting point/freezing point:	-25 °C			
Initial boiling point and boiling range	e: 100-120 °C			
Flash point:	Not applicable.			
Flammability (solid, gas):	Not applicable.			
Decomposition temperature:	Not determined.			
Ignition temperature:	Product is not self-igniting.			
Explosive properties:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Vapour pressure at 20 °C:	40 hPa			
Density at 20 °C:	1.19-1.23 g/cm <sup>3</sup>			
Relative density	Not determined.			

- GB



Page 6/9

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 28.06.2023

Version number 3

Revision: 28.06.2023

**Trade name: Flocpac Super** 

		(Contd. of page 5
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- $\cdot$  10.3 Possibility of hazardous reactions Reacts with metals forming hydrogen.
- · 10.4 Conditions to avoid
- Do not use at temperatures above 200 °C as dangerous decomposition products may be generated.
- 10.5 Incompatible materials:
- Strong bases.
- Metals

Hypochlorous acid and Hypochlorites

Metal salts

· 10.6 Hazardous decomposition products: Hydrogen chloride (HCl)

## **SECTION 11: Toxicological information**

## · 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

## · LD/LC50 values relevant for classification:

Oral		>2,000 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)

Inhalative LC50/4 h >5 mg/l /dust/mist (rat)

## · Primary irritant effect:

## · Skin corrosion/irritation

- Based on available data, the classification criteria are not met. The classification is based on test data.
- $\cdot$  Serious eye damage/irritation
- The classification is based on test data.
- Causes serious eye irritation.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 28.06.2023

Version number 3

Revision: 28.06.2023

(Contd. of page 6)

#### Trade name: Flocpac Super

· Additional toxicological information:

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot$  **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The organic portion of the product is biodegradable.
- 12.3 Bioaccumulative potential Product is not expected to bioaccumulate.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

(Contd. on page 8)



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 28.06.2023

Version number 3

Revision: 28.06.2023

### Trade name: Flocpac Super

(Contd. of page 7)

GB

· Uncleaned packaging:

· Recommendation:

Container remains hazardous when empty. Continue to observe all precautions.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

· 14.1 UN-Number · ADR/RID/ADN, IMDG, IATA	UN3264
· 14.2 UN proper shipping name · ADR/RID/ADN	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC
IMDG, IATA	N.O.S. (Aluminum chloride hydroxide sulfate) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (Aluminum chloride hydroxide sulfate)
· 14.3 Transport hazard class(es)	
ADR/RID/ADN, IMDG, IATA	
· Class · Label	8 Corrosive substances. 8
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	III
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
• Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	A SW2 Clean of living supertons
· Stowage Code · Segregation Code	SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis.
Segregation Cour	SG49 Stow "separated from" SGG6-cyanides
14.7 Transport in bulk according to Annex II o	f
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.



Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31 as amended

Printing date 28.06.2023

Version number 3

Revision: 28.06.2023

**Trade name: Flocpac Super** 

	(Contd. of page
· ADR/RID/ADN	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC
-	INORGANIC, N.O.S. (ALUMINUM CHLORID
	HYDROXIDE SULFATE), 8, III

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- $\cdot$  Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### · Relevant phrases

- H290 May be corrosive to metals.
- H319 Causes serious eye irritation.
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
- Met. Corr.1: Corrosive to metals Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation Category 2

