

Revision 21-Mar-17



COMMERCIA	AL LEISURE SU	PPLIES		SAFETY D	ATA SHE	ET		Complete Pool Controls
I. Identificat	tion of the	e substan	ce/preparatio	n and of the c	ompany/u	ndertaking		
<b>1.1 Produ</b> Trade			ım Hypochlorite	e Granules				
1.2 Releva Uses:			of the substai atment Biocide	nce or mixtur	e and uses	advised against		
1.3 Details Compa	any: C U S B G		ard eeve					
Teleph E-mail		( )	12 229081 -chemicals.co.	<u>uk</u>		Fax:	+4	44 (0) 8712 229083
1.4 <b>Emerg</b> Tel:		•	2 229081	(office ho	urs)	+44 (0) 1242 300	i271 (o	utside of office hours)
2. Hazard Id	lontificatio	n						
Hazard Ox. Sol Acute T Skin Co Eye Da STOT S Aquatio For the <b>Most i</b> Human Physic Potent	d Class I. 2 Tox. 4 * orr. 1B am.1 SE 3 c Acute 1 e full text c important n Health: cal & Chem tial environ elements	of the H st <b>adverse</b> nical Haza mental ef	rds:	ioned in this se See section See section See section	ection see S on 11 for to on 9 for phy on 12 for er	Section 16. xilogical informatio sicochemical infor ivironmental inform	mation	
Hazaro	d pictograr		GHS03:	GHS05:	GHS07:	GHS09:		
Signal	word:		Danger					
-	d statemer	nts:	H2 H3 H3 H4 H3	00: Very toxic 35: May caus	swallowed evere skin l to aquatic e respirator	ourns and eye dam life	-	(chlorine)
Precau	itionary sta	tements:	P27 P28	ignition so 3: Avoid rele 0: Wear prot	ase to the dective glov	environment	ng/eye prote	ction/face protection

Г

2. Hazard Identification		
Precautionary statements:		
-	F ON SKIN (or hair): Remove/Take off immediately all c vith water	ontaminated clothing. Rinse skin
P305+351+338:	IF IN EYES: Rinse continuously with water for several moresent and easy to do – continue rinsing	inutes. Remove contact lenses if
	Store in a well-ventilated place. Keep container tightly clo Dispose of contents/container in accordance with nation	
Additional Labelling:	EUH031 Contact with acids liberates toxic gas	es
Contains:	CALCIUM HYPOCHLORITE, CALCIUM HYDROXIDE, C	Calcium chlorate
2.3 Other Hazards	lo other information is available	

# 3. Composition/information on ingredients

# 3.2 Mixture

. . . . .

CAS-No.	EC No	Index-No.	%	CLP Phrases
Calcium Hypo	chlorite			·
7778-54-3	231-908-7	-		Ox. Sol. 2 - H272 : Aquatic Acute 1 - H400 : Eye Dam. 1 H318 STOT SE 3 - H335 : Skin Corr. 1B - H314 : Acute Tox. 4 - H302
Calcium Chlo	ride			·
10043-52-4	233-140-8	012119494219-28	1 - 5%	Eye Irrit. 2 - H319
Calcium Hydr	oxide			
1305-62-0	215-137-3	01-2119475151-45	1 - 10%	Skin Irrit. 2 - H315 : Eye Dam. 1 - H318 : STOT SE 3 - H335
Calcium chlor	ate		-	•
10137-74-3	233-378-2	-	1 - 5%	Ox. Sol. 2 - H272

4. First Aid measures	
4.1 Description of first aid	measures
Inhalation:	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention.
Ingestion:	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention.
Skin contact:	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.
4.2 Most important sympt	oms and effects, both acute and delayed
Inhalation	Irritating to respiratory system.
Ingestion	May cause chemical burns in mouth, oesophagus and stomach. May cause stomach pain or vomiting.
Skin contact:	Skin contact:
Eye contact	Severe irritation, burning and tearing. May cause chemical eye burns.
4.3 Indication of immediat	e medical attention and special treatment needed
Notes for the doctor	Treat symptomatically

5. Fire fighting measures	
<b>5.1 Extinguishing media:</b> Suitable media: Unsuitable media:	Water. Carbon dioxide (CO2). Fire extinguishing powder
Specific Hazards:	from the substance or mixture Chlorine. Carbon monoxide (CO). Carbon dioxide (CO2). Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours
5.3 Advice for fire-fighters Special PPE:	Fire-fighters should wear full protective clothing and self-contained breathing apparatus (SCBA).
Further Information:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

6. Accidental release Measure	es					
6.1 Personal precautions, p	protective equipment and emergency procedures					
Personal Precautions:	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of dust and contact with skin and eyes. Provide adequate ventilation.					
6.2 Environmental precauti	ions					
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.					
6.3 Methods and materials	6.3 Methods and materials for containment and cleaning up					
Cleaning up:	Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or the like. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely.					
6.4 Reference to other sections						
Other Sections	See Section 1 for emergency contact information See Section 7 for information on Personal protective equipment See section 13 for waste treatment information					

7. Handling and storage

7.1 Precautions for safe h Usage precautions	Avoid spilling, skin and eye contact. Provide adequate ventilation. Avoid generation and spreading of dust. Avoid inhalation of dust.
7.2 Conditions for safe st	orage, including any incompatibilities.
Storage precautions	Store in closed original container at temperatures between 0°C and 30°C. Suitable container materials: Polyethylene. Polyethylene-lined mild steel. Store away from the following materials: Reducing agents. Acids. Keep away from flammable and combustible materials. Keep away from food, drink and animal feeding stuffs.
Storage class	Oxidiser storage.
7.3 Specific end uses Specific use(s)	The identified uses for this product are detailed in Section 1.2.

### 8. Exposure control/personal protection

### 8.1 Control parameters

Occupational exposure limits CALCIUM HYDROXIDE Long-term exposure limit (8-hour TWA): WEL 5 mg/m<sup>3</sup> WEL = Workplace Exposure Limit

Industry - Inhalation; Long term : 5 mg/m<sup>3</sup> DNEL Industry - Inhalation; Short term : 10 mg/m<sup>3</sup> Consumer - Inhalation; Long term : 2.5 mg/m<sup>3</sup> Consumer - Inhalation; Short term : 5 mg/m<sup>3</sup>

### 8.2 Exposure controls

### **Protective equipment**





Engineering measures	Provide adequate ventilation. Avoid inhalation of dust. Observe any occupational exposure limits for the product or ingredients
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield.
Hand protection	Use protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. Neoprene gloves are recommended. EN 374
Hygiene measures	Provide eyewash station and safety shower. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace. When using do not eat, drink or smoke.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Particulate filter, type P2. EN 136/140/145/143/149

#### 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form: Colour: Odour: Odour Threshold:	Free flowing granules White Characteristic data lacking
pH @ 20°C: Melting point: Boiling point: Flash point: Flammability (solid, gas) Upper explosion limit: Lower explosion limit: Density @ 20°C: Water solubility: Ignition temperature: Thermal decomposition: Explosive properties: Oxidising properties:	pH (diluted solution): 10.5 - 11.5 1% @ 20 °C 100°C Undetermined not applicable Not applicable. not applicable o.9 g/cm3 @ 20°C 217 g/l water @ 20°C not applicable 170 - 180°C Data lacking. Product is oxidising when dry
9.2 Other Information	Not determined.

# Trade Name: HtH Calcium Hypochlorite Granules

I0. Stability and reactivity	
10.1 Reactivity	
Reactivity	The following materials may react with the product: Acids. Alkalis. Oxidising materials. Alcohols, glycols. Amines.
10.2 Chemical stability	
Chemical stability	Stable under the prescribed storage conditions.
10.3 Possibility of hazardous	s reactions
Hazardous reactions:	Contact with acids liberates toxic gas.
10.4 Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition.
10.5 Incompatible materials	
Materials to avoid	Strong acids. Strong oxidising agents. Strong alkalis. Alcohols, glycols. Amines.
10.6 Hazardous decomposit	ion products
	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases of

## 11. Toxilogical Information

### 11.1 Information on toxilogical effects

vapours: Chlorine

 information of	n toxnogic	arenecis					
Acute toxicity	-	oral ATE oral (mg/kg)		625			
Acute toxicity		dermal Notes (dermal LD	) <sub>50</sub> )	Data lacking.			
Acute toxicity		inhalation Notes (inhalation	on LC <sub>50</sub> )	Data lacking.			
Skin corrosion/	/irritation	Animal data		Data lacking.			
Skin sensitisati	ion			Data lacking.			
Germ cell muta	agenicity	Genotoxicity - in vitro		Data lacking.			
Carcinogenicity	y	-		Data lacking.			
Reproductive t	oxicity	fertility		Data lacking.			
STOT - single	exposure			Data lacking.			
STOT - repeate	ed exposur	re		Data lacking.			
Inhalation Ingestion Skin contact Eye contact		May cause respiratory irr Harmful if swallowed. Ma Irritating to skin. Causes May cause chemical eye	y cause chemic burns.	al burns in mout	th, oesophagu	us and stomach.	
<i>Calcium Hypod</i> Acute toxicity - ATE		(mg/kg)	500				

12 E	cological Info	rmation
12. 6	cological into	
	Ecotoxicity:	The product contains a substance which is very toxic to aquatic organisms.
12.1	Toxicity	
	Toxicity	Very toxic to aquatic organisms
	Ecological info	ormation on ingredients. CALCIUM HYPOCHLORITE
	Acute aquatic	toxicity
	LE(C) <sub>50</sub>	0.01 < L(E)C50 ≤ 0.1
	M factor (Acu	te) 10
	Acute toxicity	- LC50, 96 hours, 96 hours: 0.16 mg/l, Onchorhynchus mykiss (Rainbow trout)
		[Cont]

# Trade Name: HtH Calcium Hypochlorite Granules

12. Ecological Information	
12.2 Persistence and degrad	ability
Persistence and degradability:	The product contains only inorganic substances which are not biodegradable.
12.3 Bioaccumlative potentia	al
-	No data available on bioaccumulation.
Biodeodiniative potential	
12.4 Mobility in soil	
-	Na data availabla
Mobility in soil	No data available
12.5 Results of PBT and PvB	
PBT and PvB :	No data available
12.6 Other adverse effects	
Other adverse effects	Not known.

	13	3. D	isposal	Considera	ations
--	----	------	---------	-----------	--------

## 13.1 Waste treatment methods

General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Do not puncture or incinerate, even when empty.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

#### Classification

Waste Codes in accordance with the European Waste catalogue (EWC) are origin-defined. Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority

14.1 UN Number	2880
14.2 UN proper shipping name ADR/RID/IMG/ICAO	CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE
14.3 Transport hazard class(es) ADR/RID/IMG/ICAO	5.1
14.4 Packaging Group	П
<b>14.5 Environmental hazards</b> Environmentally Hazardous Marine Pollutant	Yes Yes
<b>14.6 Special precautions for user</b> EmS Emergency Action Code Hazard Identification Number (ADR/RID) Tunnel restriction code	F-H, S-Q 1W 50 (E)

15. Regulatory information

<b>15.1 Safety, health and envir</b> National regulations	onmental regulations/legislation specific for this substance or mixture. The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). This product may impact SEVESO storage regulations.
Guidance	CHIP for everyone HSG228. Safety Data Sheets for Substances and Preparations. Approved Classification and Labelling Guide (Sixth edition) L131.
Water hazard classification	WGK 2

### **15.2 Chemical Safety Assessment**

No data available

#### **16. Other information**

Full text of H-statements referred to under sections 2 and 3
H272 May intensify fire; oxidiser.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
EUH031 Contact with acids liberates toxic gases

This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty or merchantability, or fitness for any particular use, or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this information Users should make their own investigations to determine the suitability of the information for their particular needs and uses.

Rev 5 Indicates updated section

