

SAFETY DATA SHEET Revision 6



HTH Calcium Hypochlorite Easiflo Tablets

1. Identification of the substance/preparation and of the company/undertaking

1.1 Product Identifier

Trade Name: HTH Calcium Hypochlorite Easiflo Tablets

1.2 Relevant Identified uses of the substance or mixture and uses advised against

Uses: Water Treatment Biocide

1.3 Details of the supplier of the safety data sheet

Company: Complete Pool Controls Ltd

Unit 2, The Park Stoke Orchard Bishops Cleeve Gloucestershire

GL52 7RS

Telephone: +44 (0) 8712 229081 Fax: +44 (0) 8712 229083

E-mail: <u>sales@cpc-chemicals.co.uk</u>

1.4 Emergency Telephone

Tel: +44 (0) 8712 229081 (office hours) +44 (0) 371 2229084 (outside of office hours)

2. Hazard Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Hazard Class Hazard Statements

Ox. Sol. 2 H272
Acute Tox. 4 * H302
Skin Corr. 1B H314
Eye Dam.1 H318
STOT SE 3 H335
Aquatic Acute 1 H400

For the full text of the H statements mentioned in this section see Section 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms:









GHS03: GHS05: GHS07: GHS09:

Signal word: Danger

Hazard statements: H272: May intensify fire; oxidiser

H302: Harmful if swallowed

H314: Causes severe skin burns and eye damage

H400: Very toxic to aquatic life

H335: May cause respiratory irritation.

Warning! Do not use together with other products. May release dangerous gases (chlorine)

Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking

P220: Keep away from combustible materials.

P221: Take any precaution to avoid mixing with combustibles.

2. Hazard Identification

Trade Name:

Precautionary statements:

P260: Do not breathe vapour/spray.

P264: Wash contaminated skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

P301+330 + P310 IF SWALLOWED: rinse mouth. Immediately call a poison centre

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse

skin with water

P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water

P305+351+338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if

present and easy to do - continue rinsing

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P5001 Dispose of contents/container in accordance with national regulations.

Additional Labelling: EUH031 Contact with acids liberates toxic gases

Contains: CALCIUM HYPOCHLORITE, CALCIUM HYDROXIDE, Calcium chlorate

Supplementary Statement: P301+P330+P331:: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

2.3 Other Hazards No other information is available

3. Composition/information on ingredients

3.2 Mixture

CAS-No.	EC No	Index-No.	%	CLP Phrases
Calcium Hypochlorite M factor (Acute) = 10				
7778-54-3	231-908-7	-		H318 STOT SE 3 - H335 : Skin Corr. 1B - H314 : Acute Tox. 4 - H302
Calcium Hydroxide				
1305-62-0	215-137-3	01-2119475151-4	1 - 5%	Skin Irrit. 2 - H315 : Eye Dam. 1 - H318 : STOT SE 3 - H335
Calcium Chloride				
10043-52-4	233-140-8	012119494219-28	1 - 5%	Eye Irrit. 2 - H319
Calcium chlorate				
10137-74-3	233-378-2	-	1 - 5%	Ox. Sol. 2 - H272

4. First Aid measures

4.1 Description of first aid measures

Inhalation: Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention.

Ingestion: Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce

vomiting. Get medical attention.

Trade Name: HtH Calcium Hypochlorite Easiflo Tablets

4. First Aid measures

4.1 Description of first aid measures

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water. Get

medical attention if any discomfort continues.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention immediately.

Continue to rinse.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation Irritating to respiratory system.

Ingestion May cause chemical burns in mouth, oesophagus and stomach. May cause stomach pain or

Skin contact: Skin contact:

Eye contact Severe irritation, burning and tearing. May cause chemical eye burns.

4.3 Indication of immediate medical attention and special treatment needed

5. Fire fighting measures

5.1 Extinguishing media:

Suitable media: Water. Carbon dioxide (CO2). Unsuitable media: Fire extinguishing powder

5.2 Special hazards arising from the substance or mixture

Specific Hazards: Chlorine. Carbon monoxide (CO). Carbon dioxide (CO2).

Haz. Combustion Products: Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours

5.3 Advice for fire-fighters

Special PPE: Fire-fighters should wear full protective clothing and self-contained breathing apparatus

(SCBA).

Collect contaminated fire extinguishing water separately. This must not be discharged into Eurther Information:

drains.

6. Accidental release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions:

Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of

dust and contact with skin and eyes. Provide adequate ventilation.

6.2 Environmental precautions

Environmental precautions: Spillages or uncontrolled discharges into watercourses must be reported immediately to

the Environmental Agency or other appropriate regulatory body.

6.3 Methods and materials for containment and cleaning up

Cleaning up: Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel, broom or

the like. Flush contaminated area with plenty of water. Collect and place in suitable waste

disposal containers and seal securely.

6.4 Reference to other sections

Other Sections See Section 1 for emergency contact information

See Section 7 for information on Personal protective equipment

See section 13 for waste treatment information

7. Handling and storage

7.1 Precautions for safe handling

Usage precautions Avoid spilling, skin and eye contact. Provide adequate ventilation. Avoid generation and

spreading of dust. Avoid inhalation of dust.

7.2 Conditions for safe storage, including any incompatibilities.

Storage precautions Store in closed original container at temperatures not exceeding exceeding 35°C...

Suitable container materials: Polyethylene. Polyethylene-lined mild steel.

Store away from the following materials: Reducing agents. Acids.

Keep away from flammable and combustible materials. Keep away from food, drink and animal feeding stuffs.

Storage class Oxidiser storage.

7.3 Specific end uses

Specific use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure control/personal protection

8.1 Control parameters

Occupational exposure limits

CALCIUM HYDROXIDE

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³

WEL = Workplace Exposure Limit

DNEL Industry - Inhalation; Long term : 5 mg/m³

Industry - Inhalation; Short term : 10 mg/m³ Consumer - Inhalation; Long term : 2.5 mg/m³ Consumer - Inhalation; Short term : 5 mg/m³

8.2 Exposure controls

Protective equipment







Engineering measures

Provide adequate ventilation. Avoid inhalation of dust. Observe any occupational exposure limits for the product or ingredients

Eye/face protection Wear tight-fitting, chemical splash goggles or face shield.

Hand protection Use protective gloves. The most suitable glove should be chosen in consultation with the

glove supplier/manufacturer, who can provide information about the breakthrough time of

the glove material. Neoprene gloves are recommended. EN 374

Hygiene measures Provide eyewash station and safety shower. Wash hands at the end of each work shift and

before eating, smoking and using the toilet. Change work clothing daily before leaving

workplace. When using do not eat, drink or smoke.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn. Wear a

respirator fitted with the following cartridge: Particulate filter, type P2. EN

9. Physical and chemical properties

Trade Name:

9.1 Information on basic physical and chemical properties

Form: Pellets Colour: White

Odour: Characteristic Odour Threshold: data lacking

pH @ 20°C: pH (diluted solution): 10.5 - 11.5 1% @ 20 °C

Melting point: 100°C

Initial boiling point and range Not applicable.
Flash point Not applicable.
Upper/lower flammability or explosive limit: Not applicable.
Vapour pressure Not applicable.
Vapour density Not applicable.
Relative density 1.3 g/cm3

Solubility(ies) 217 g/l water @ 20°C

Decomposition Temperature 170-180°C
Viscosity Not applicable.
Explosive properties Data lacking.
Oxidising properties Data lacking.

9.2 Other Information No information required.

10. Stability and reactivity

10.1 Reactivity

Reactivity The following materials may react with the product: Acids. Alkalis. Oxidising materials.

Alcohols, glycols. Amines.

10.2 Chemical stability

Chemical stability Stable under the prescribed storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions: Contact with acids liberates toxic gas.

10.4 Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5 Incompatible materials

Materials to avoid Strong acids. Strong oxidising agents. Strong alkalis. Alcohols, glycols. Amines.

10.6 Hazardous decomposition products

Haz. Decomp. products: Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours: Chlorine

11. Toxilogical Information

Trade Name:

11.1 Information on toxilogical effects

Acute toxicity oral ATE oral (mg/kg) 625.0

Acute toxicity dermal Notes (dermal LD_{50}) Data lacking. Acute toxicity inhalation Notes (inhalation LC_{50}) Data lacking. Skin corrosion/irritation Animal data Data lacking. Skin sensitisation Data lacking. Germ cell mutagenicity Genotoxicity - in vitro Data lacking.

Carcinogenicity Data lacking.

Reproductive toxicity fertility Data lacking.

STOT - single exposure Data lacking.

STOT - repeated exposure Data lacking.

Inhalation May cause respiratory irritation.

Ingestion Harmful if swallowed. May cause chemical burns in mouth, oesophagus and stomach.

Skin contact Irritating to skin. Causes burns. Eye contact May cause chemical eye burns.

Calcium Hypochlorite
Acute toxicity - oral

ATE oral (mg/kg) 500

12. Ecological Information

Ecotoxicity: The product contains a substance which is very toxic to aquatic organisms.

12.1 Toxicity

Toxicity Very toxic to aquatic organisms

Ecological information on ingredients. CALCIUM HYPOCHLORITE

Acute aquatic toxicity

 $LE(C)_{50}$ 0.01 < $L(E)C50 \le 0.1$

M factor (Acute) 10

Acute toxicity LC50, 96 hours, 96 hours: 0.16 mg/l, Onchorhynchus mykiss (Rainbow trout)

12.2 Persistence and degradability

Degradability The product contains only inorganic substances which are not biodegradable.

12.3 Bioaccumlative potential

Bioaccumlative potential No data available on bioaccumulation.

12.4 Mobility in soil

Mobility in soil No data available

12.5 Results of PBT and PvB:

PBT and PvB: No data available

12.6 Other adverse effects

Other adverse effects Not known.

13. Disposal Considerations

Trade Name:

13.1 Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority. Do not puncture

or incinerate, even when empty.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of

the local Waste Disposal Authority.

Classification

Waste Codes in accordance with the European Waste catalogue (EWC) are origin-defined. Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority

14. Transport Information

14.1 UN Number 1748

14.2 UN proper shipping name

ADR/RID/IMG/ICAO CALCIUM HYPOCHLORITE MIXTURE, DRY

Ш

14.3 Transport hazard class(es)

ADR/RID/IMG/ICAO 5.1

14.5 Environmental hazards

14.4 Packaging Group

Environmentally Hazardous Yes

Marine Pollutant Yes



14.6 Special precautions for user

EmS

Emergency Action Code 1W Hazard Identification Number (ADR/RID) 50 Tunnel restriction code (E)

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No further information available

Trade Name:

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for this substance or mixture.

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures

(as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and

Restriction of Chemicals (REACH) (as amended).
This product may impact SEVESO storage regulations.

Guidance CHIP for everyone HSG228.

Safety Data Sheets for Substances and Preparations.

Approved Classification and Labelling Guide (Sixth edition) L131.

Water hazard classification WGK 2

15.2 Chemical Safety Assessment

No data available

16. Other information

Full text of H-statements referred to under sections 2 and 3

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

EUH031 Contact with acids liberates toxic gases

This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty or merchantability, or fitness for any particular use, or any other warranty, express or implied, with respect to this information, and we assume no liability resulting from use of this information Users should make their own investigations to determine the suitability of the information for their particular needs and uses.

Indicates updated section

